
Snowy Peak

Quilt design by Laura Blanchard of Plum Tree Quilts, featuring fabrics from the "Snowy Peak" collection by Hoffman California Fabrics





L7325 307S-Snow Silver



H8821 183S-Glacier Silver



M7448 307S-Snow Silver





Quilt Size 73 1/2" x 82 1/2" M7449 307S-Snow Silver



M7450 5S-Red Silver



M7450 60S-Hunter Silver



G8555 3S-White Silver



L7360 78S-Scarlet Silver



Free pattern available from www.HoffmanFabrics.com




"Snowy Peak" featuring fabrics by Hoffman California Fabrics Quilt Design by Laura Blanchard

Gold Colorway	Silver Colorway	
L7325 80G-Taupe Gold	L7325 307S-Snow Silver	2 3/8 yards
H8821 80G-Taupe Gold	H8821 183S-Glacier Silver	28 1/4 yards
M7448 113G-Frost Gold	M7448 307S-Snow Silver	1 1/2 yards
M7449 80G-Taupe Gold	M7449 307S-Snow Silver	1 1/4 yards
M7450 403G-Cherry Gold	M7450 5S-Red Silver	3/4 yard
M7450 166G-Evergreen Gold	M7450 60S-Hunter Silver	5/8 yard
G8555 3G-White Gold	G8555 3S-White Silver	1/2 yard
G8555 78G-Scarlet Gold	L7360 78S-Scarlet Silver	1 1/4 yards

Note: These are estimated yardages. Final yardages will be on pattern.

BACKING: Coordinate of your choice. 5 1/4 yards



View swatches and download quilt patterns at www.hoffmanfabrics.com

G8555 3G-

White Gold

G8555 78G-

Scarlet Gold

E

M7450 403G-

Cherry Gold

M7450 166G-

Evergreen Gold

^{*}Yardage includes binding.

SNOWY PEAK

Fabrics from the "Snowy Peak" collection by Hoffman Fabrics

Quilt design by Laura Blanchard of Plum Tree Quilts • Quilt size: 74" x 83" • Block size: 9" square

Fabric Requirements

Label	Silver	Gold	Yardage
Fabric A	L7360-78S Scarlet/Silver	G8555-78G Scarlet/Gold	1¼ yards
Fabric B	M7449-307S Snow/Silver	M7449-80G Taupe/Gold	1¼ yards
Fabric C	M7448-307S Snow/Silver	M7448-113G Frost/Gold	1½ yards
Fabric D	M7450-5S Red/Silver	M7450-403G Cherry/Gold	3/4 yard
Fabric E	G8555-3S White/Silver	G8555-3G White/Gold	½ yard
Fabric F*	L7325-307S Snow/Silver	L7325-80G Taupe/Gold	2% yards
Fabric G	H8821-183S Glacier/Silver	H8821-80G Taupe/Gold	21/s yards
Fabric H	M7450-60S Hunter/Silver	M7450-166G Evergreen/Gold	% yard
Backing of choice*			51/4 yards
Batting			82" x 91'

^{*}There will be an approximately 25" x 60½" piece of Fabric F left over. It can be saved for another project or pieced into the quilt backing, which will reduce the amount of backing fabric needed.

Additional supply: 7" square of template plastic OR the Tri-Recs Tools by EZ International

Cutting Cut fabrics in order given. WOF = width of fabric. LOF = length of fabric. Label pieces as they are cut.

Fabric A: 1. Choose one of the following methods to cut triangles from Fabric A.

- Plastic Template Method:
 - a. Trace (1) template A onto template plastic and cut out on the solid line.
 - b. Cut (4) 4¼" x WOF strips. Crosscut (60) 2½" x 4¼" rectangles. Cut (30) rectangles diagonally in half in one direction and (30) rectangles in the opposite direction as shown in Figure 1, to yield (60) A half rectangle triangles and (60) Ar half rectangle triangles. Use template to trim points. Label triangles A and Ar for Block I.

Figure 1

Cut 30 rectangles in this direction.

Cut 30 rectangles in this direction.

- · Tri-Recs Method:
 - a. Cut (4) 3½" x WOF strips. With the strip folded in half, place the 3½" marking of the Recs tool on the bottom edge of a 3½" strip. Cut the half rectangle triangles, rotating the tool with each cut. Each cut will yield (1) A and (1) Ar half rectangle triangle. Cut and label a total of (60) A and (60) Ar triangles for Block I.
- 2. Cut (13) 13/4" x WOF strips for Borders #2 and #4.

- Fabric B: 1. Cut (7) 31/2" x WOF strips. Crosscut (75) 31/2" squares for Block I.
 - Choose one of the following methods to cut triangles from Fabric B.
 - · Template Method:
 - a. Trace Template B onto template plastic and cut out on the solid line.
 - b. Cut (4) 3½" x WOF strips. Place template on bottom edge of strip. Cut on each side of the template, including clipped points, to release triangles. Rotate template with each cut. Cut a total of (60) B triangles for Block I.

Tri-Recs Method:

- a. Cut (4) 3½" x WOF strips. Place the Tri tool on strip with the 3½" marking lined up with bottom of strip. The top of the tool should be even with the top of the strip. Cut a total of (60) triangles for Block I, rotating the tool with each cut and clipping points as indicated on tool.
- Fabric C: 1. Fussy cut (15) 91/2" squares, centering a motif as desired, for Block II.
- Fabric D: 1. Cut (6) 31/2" x WOF strips. Crosscut (60) 31/2" squares for Block II.
- Fabric E: 1. Cut (6) 21/4" x WOF" strips for Border #1.
- Fabric F: 1. Cut a 64" length from Fabric F. Fussy cut (2) 41/2" x 64" (LOF) strips for Border #3 side strips.
 - Fussy cut (2) matching 4½" x WOF fabric strips for top Border #3. Sew the strips together end to end to create
 one long strip. Press seam open.
 - 3. Fussy cut (2) matching 4½" x **WOF** fabric strips for bottom Border #3. Sew the strips together end to end to create one long strip. Press seam open. [NOTE: The top Border #3 strips do not have to be identical to the bottom Border #3 strips.]
- Fabric G: 1. Cut (2) 6½" x approximately 72" (LOF) strips, leaving at least 25" width of fabric remaining for the next cuts. Reserve the 6½" strips for side Outer Border.
 - 2. From the remaining width of fabric, cut (3) matching 6½" x WOF strips (approximately 25" wide) for the top Outer Border and (3) matching 6½" x WOF strips (approximately 25" wide) for the bottom Outer Border. [NOTE: The bottom Outer Border strips do not have to be identical to the top Outer Border strips.] Sew the top Outer Border strips together end to end to create one long strip. Press seams open. Repeat with the bottom Outer Border strips.
- Fabric H: 1. Cut (9) 21/4" x WOF strips for Binding.

PIECING

Block I:



Finished block size: 9" square

1. Sew an A triangle to the right side of a B triangle as shown in Figure 2. Use the clipped points of the triangles to aid in proper alignment. Press toward A. Sew an Ar triangle to the left side of the B triangle (Figure 3). Press toward Ar. Repeat to make a total of (60) A/B triangle units.

Figure 2




Figure 3




Make (60) triangle units.

For one block, arrange (4) A/B triangle units and (5) 3½" B squares (Figure 4). Sew units and squares together into rows. Press toward B. Sew rows together. Press toward the center row of block. Block should measure 9½" square. Repeat to make (15) blocks.







Block II:



1. Draw a diagonal line, from corner to corner, on the wrong side of each 3½" D square. Place one D square, right sides together, on each corner of a 9½" C square in the positions shown (Figure 5). Stitch on the drawn line of each D square. Trim ¼" away from the stitching lines. Press toward D on each corner. Block should measure 9½" square. Repeat to make (15) of Block II.

Figure 5 C Make (15) of Block II.

QUILT ASSEMBLY Refer to Quilt Diagram.

- 1. Arrange (6) rows of (5) blocks each, alternating blocks as shown in Quilt Diagram.
- 2. Sew blocks into rows. Press each seam toward Block II.
- 3. Sew rows together. If desired, press seams open to reduce bulk.
- 4. Border #1: Sew the 21/4" E strips together end to end. Cut two lengths equal to length of quilt. Sew to sides of quilt. Press toward E. Cut two lengths equal to width of quilt. Sew to top and bottom of quilt. Press toward E.
- 5. Border #2: Sew the 1¾" A strips together end to end. Cut two lengths equal to length of quilt. Sew to sides of quilt. Press toward A. Cut two lengths equal to width of quilt. Sew to top and bottom of quilt. Press toward A. Reserve remaining length of joined strips for Border #4.
- 6. Border #3: Trim the length of the two 4½" x 64" F strips equal to the length of quilt. Sew to sides of quilt in correct position. Press toward F. Trim length of the two joined 4½" x WOF F strips equal to the width of quilt. Sew to top and bottom of quilt in correct position. Press toward F.
- 7. Border #4: Follow directions for Border #1 to sew remaining 1¾" A strips to quilt. Press toward A.
- 8. Outer Border: Cut the length of the two 6½" x 72" G strips equal to the length of quilt. Sew to sides of quilt in correct position. Press toward G. Trim the length of the joined top and bottom outer border strips equal to the width of quilt. Sew to top and bottom of quilt in correct position. Press toward G.

FINISHING

- 1. Prepare backing fabric to measure 82" x 91". Press seams open.
- 2. Layer backing, batting and quilt top. Baste layers together.
- 3. Quilt as desired. [NOTE: Do not quilt in ditch of seams that may have been pressed open.]
- 4. Trim backing and batting even with quilt top.
- 5. Prepare binding strips and sew to quilt using your favorite method.
- 6. Make a label and sew to back of guilt.

