

Onyx Colorway

MIST COLORWAY FABRICS	ONYX COLORWAY FABRICS	1 KIT
G8555 3S-White Silver	G8555 3S-White Silver	4 1/4 Yds.
S7700 521S-Mist Silver	S7700 176S-Ice Silver	1/4 Yard
S7700 597S-December Silver	S7700 597S-December Silver	1/4 Yard
S7701 521S-Mist Silver	S7701 213S-Onyx Silver	1 1/2 Yds.
S7702 10S-Crimson Silver	S7702 10S-Crimson Silver	1 Yard
S7702 113S-Frost Silver	S7702 113S-Frost Silver	2 5/8 Yds.
S7703 597S-December Silver	S7703 674S-Light Gray Silver	3/8 Yard
S7704 55S-Charcoal Silver	S7704 176S-Ice Silver	7/8 Yard
S7705 176S-Ice Silver	S7705 176S-Ice Silver	1/2 Yard
S7706 113S-Frost Silver	S7706 113S-Frost Silver	3/4 Yard
S7706 213S-Onyx Silver	S7706 213S-Onyx Silver	5/8 Yard
S7706 654S-Dark Gray Silver	S7706 654S-Dark Gray Silver	1 3/8 Yds*
* includes binding		



S7706 654S-Dark Gray Silver

FREE PATTERN DOWNLOAD HoffmanFabrics.com





Scandi Stars

Finished block size: 18" x 18"

Finished quilt size: 94" x 94"

December Mist	Onyx & Ice	Yardage	Cutting Instructions
G8555- White Silver Fabric A	G8555- White Silver Fabric A	4 1/4y	a. pieced blocks (13) 2 3/4" x wof. Sub-cut (192) 2 3/4" x 2 3/4" squares. (3) 3 1/4" x wof. Sub-cut (32) 3 1/4" x 3 1/4" squares. (13) 5" x wof. Sub-cut (192) 2 3/4" x 5" rectangles. b. sashing rectangles (1) 18 1/2" x wof. Sub-cut (24) 1 1/2" x 18 1/2" rectangles. c. inner border #1 (8) 2" x wof. Piece strips and sub-cut (2) 2" x 75 1/2" and (2) 2" x 78 1/2" strips.
S7700- Mist Silver Fabric B	Fabric B	1/4y	a. pieced blocks (1) 5" x wof. Sub-cut (4) 5" x 5" squares.
S7700- December Silver Fabric C	Silver Fabric C	1/4y	a. pieced blocks (1) 5" x wof. Sub-cut (3) 5" x 5" squares.
Fabric D	Fabric D	1 1/2y	a. outer border (10) 5" x wof. Piece strips and sub-cut (2) 5" x 85 1/2" and (2) 5" x 94 1/2" strips.
S7702- Crimson Silver Fabric E		ly	 a. pieced blocks (8) 2 3/4" x wof. Sub-cut (112) 2 3/4" x 2 3/4" squares. (2) 5" x wof. Sub-cut (2) 5" x 5" squares and (16) 2 3/4" x 5" rectangles. b. cornerstones (1) 1 1/2" x wof. Subcut (9) 1 1/2" x 1 1/2" squares.
S7702- Frost Silver Fabric F		2 5/8y	 a. pieced blocks (14) 2 3/4" x wof. Sub-cut (196) 2 3/4" x 2 3/4" squares. (2) 3 3/4" x wof. Sub-cut (16) 3 3/4" x 3 3/4" squares. (9) 5" x wof. Sub-cut (128) 2 3/4" x 5" rectangles.

S7703- December Silver Fabric G	Fabric G	3/8y	 a. pieced blocks (2) 2 3/4" x wof. Sub-cut (24) 2 3/4" x 2 3/4" squares. (1) 5" x wof. Sub-cut (3) 5" x 5" squares.
S7704- Charcoal Silver Fabric H	Fabric H	7/8y	a. pieced blocks (7) 2 3/4" x wof. Sub-cut (96) 2 3/4" x 2 3/4" squares. (2) 5" x wof. Sub-cut (16) 1 3/4" x 5" rectangles and (4) 5" x 5" squares.
S7705-Ice Silver Fabric I	REVINGE REVINGE BISTM AS LACE HA	1/2y	 a. pieced blocks (4) 2 3/4" x wof. Sub-cut (48) 2 3/4" x 2 3/4" squares. (1) 5" x wof. Sub-cut (12) 2 3/4" x 5" rectangles.
S7706- Frost Silver Fabric J		3/4y	a. inner border #2 (8) 3" x wof. Piece strips and sub-cut (2) 3" x 78 1/2" and (2) 3" x 83 1/2" strips.
S7706- Onyx Silver Fabric K		5/8y	 a. pieced blocks (5) 2 3/4" x wof. Sub-cut (72) 2 3/4" x 2 3/4" squares. (1) 5" x wof. Sub-cut (12) 2 3/4" x 5" rectangles.
S7706-Dark Gray Silver Fabric L		1 1/2y	a. pieced blocks (2) (4) 2 3/4" x wof. Sub-cut (32) 2 3/4" x 2 3/4" squares and (8) 2 3/4" x 5" rectangles. b. inner border #3 (9) 1 1/2" x wof. Piece strips and sub-cut (2) 1 1/2" x 83 1/2" and (2) 1 1/2" x 85 1/2" strips. b. binding (10) 2 ½" wof strips

Constructing Pieced Blocks

1. Flying Geese and middle unit. Draw a diagonal line on the wrong side of (1) 2 3/4" x 2 3/4" **Print I** square. Place square, right sides together, at a corner of (1) 2 3/4" x 5" **Fabric F** rectangle. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal **Print I** corner triangle. Repeat with another 2 3/4" x 2 3/4" **Print I** square at the opposite corner of the same **Fabric F** rectangle to make a **Print I**/**Fabric F** Flying Geese unit.



Repeat to make a total of (4) Flying Geese units for

Print I/Fabric F



Fabric F/Print II



Print II/Fabric A



Sew together Flying Geese of each fabric combination into (1) middle unit, as shown, below. Make a total of (4) middle units.



2. Corner units. Draw a diagonal line on the wrong side of (1) 3 3/4" x 3 3/4" **Fabric A** square. Place square, right sides together, on (1) 3 3/4" x 3 3/4" **Fabric F** square. Sew 1/4" away from, on right and left sides of drawn line. Cut along drawn line to yield (2) HST units. Align diagonal seam of HST units against 45 degree line on quilting ruler, trim HST units to measure 2 3/4" x 2 3/4" raw edge to raw edge.

Sew (1) 2 3/4" x 2 3/4" Fabric A square to the right of (1) HST unit to make (1) unit B1.



Draw a diagonal line on the wrong side of (1) 2 3/4" x 2 3/4" **Fabric A** square. Place square, right sides together, at a corner of (1) 2 3/4" x 5" **Fabric F** rectangle. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal **Fabric A** corner triangle, as shown, to make (1) unit B2.



Sew together units B1 and B2 to make unit B3.



3. Draw a diagonal line on the wrong side of (1) 2 3/4" x 2 3/4" **Print II** square. Place square, right sides together at a corner of (1) 2 3/4" x 5" **Fabric A** rectangle. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal **Print II** corner triangle, as shown.



Sew unit to the right of unit B3 to make B4.



Draw a diagonal line on the wrong side of (1) 2 3/4" x 2 3/4" **Print II** square. Place square, right sides together at a corner of (1) 2 3/4" x 5" **Fabric A** rectangle. Sew on drawn line. Trim 1/4" away from sewn line. Open and press to reveal **Print II** corner triangle, as shown.



Add (1) 2 3/4" x 2 3/4" **Fabric A** square to the right of unit made above, and add to the top of unit B4 to make (1) corner unit. Make a total of (2) corner units,




and (2) mirror-imaged corner units.




4. Sew (1) corner unit and (1) mirror-imaged corner unit to the opposite long sides of (1) middle unit to make a row unit. Make a total of (2) row units.



5. Sew (2) middle units to the left and right sides of (1) 5" x 5" **Print III** square to make a row unit.



6. Sew together row units to complete (1) pieced block.




5. Make a total of number of blocks for the following **Print III/Print I/Print II** combinations:

4 blocks: **B/E/E, H/H/H** 3 blocks: **C/K/K, G/G/I**

2 blocks: E/E/L


Quilt center Assembly

- 1. Pieced rows. Arrange and sew together (4) pieced blocks and (1) 1 1/2" x 18 1/2" **Fabric A** sashing rectangles to make a pieced row. Make a total of (4) pieced rows.
- 2. Pieced sashing rows. Arrange and sew together (4) 1 1/2" x 18 1/2" **Fabric A** sashing rectangles and (3) **Fabric E** cornerstones to make a pieced sashing row. Make a total of (3) pieced sashing row.
- 3. Sew together pieced rows and pieced sashing rows to complete quilt center.



Quilt top assembly

- 1. Inner border #1. Sew (2) 2" x 75 1/2" **Fabric A** strips to the opposite sides of quilt center, followed by (2) 2" x 78 1/2" **Fabric A** strips to the remaining opposite sides of quilt center.
- 2. Inner border #2. Sew (2) 3" \times 78 1/2" **Fabric J** strips to the opposite sides of quilt center, followed by (2) 3" \times 83 1/2" **Fabric J** strips to the remaining opposite sides of quilt center.
- 3. Inner border #3. Sew (2) 1 1/2" x 83 1/2" **Fabric L** strips to the opposite sides of quilt center, followed by (2) 1 1/2" x 85 1/2" **Fabric L** strips to the remaining opposite sides of quilt center.
- 4. Outer border. Sew (2) 5" \times 85 1/2" **Fabric D** strips to the opposite sides of quilt center, followed by (2) 5" \times 94 1/2" **Fabric D** strips to the remaining opposite sides of quilt center to complete quilt top.



Finishing

- 1. With the backing fabric laying taut, place batting and then quilt top to form quilt sandwich. Baste sandwich.
- 2. Quilt as desired.
- 3. Bind to finish quilt.