

PINWHEEL POSIES

Finished Quilt: 75" x 88"

Quilt design by

charming pattern!

S4705 74-Mint

S4811 176-Ice

T7760 30S-Lilac Silver

T7761 30S-Lilac Silver

T7762 447S-Sweet Pea Silver

T7763 178S-Leaf Silver

T7764 701S-**Deep Amethyst Silver**

1895 30-Lilac


885 120-Hyacinth

1895 105-Celadon

885 140-Petal

1895 509-Copacabana

FREE PATTERN DOWNLOAD HoffmanFabrics.com



FABRICS	1 KIT
S4705 74-Mint	3/8 Yard
S4811 176-lce	1 1/8 Yds.
T7760 30S-Lilac Silver	3/8 Yard
T7761 30S-Lilac Silver	3/8 Yard
T7762 447S-Sweet Pea Silver	3/8 Yard
T7763 30S-Lilac Silver	3/8 Yard
T7763 178S-Leaf Silver	3/8 Yard

	FABRICS	1 KIT
	T7764 701S-Deep Amethyst Slvr.	4 3/8 Yds.*
	885 120-Hyacinth	1/4 Yard
	885 140-Petal	3/8 Yard
	1895 30-Lilac	3/8 Yard
	1895 105-Celadon	3/8 Yard
	1895 509-Copacabana	3/8 Yard
П		

^{*} includes binding





Pinwheel Posies

Finished quilt size: 75" x 88" Finished block size: 10" x 10"

Fabric and Cutting Chart


Fabric	Yardage	Cutting Directions
Background T7764 Amethyst Silver	4 3/8y, includes binding	a. Pieced blocks (10) 1 ½" x WOF strips. Sub-cut (240) 1 ½" x 1 ½" squares. (8) 2 ½" x WOF strips. Sub-cut (120) 2 ½" x 2 ½" squares. b. Sashing rectangles (5) 10 ½" x WOF strips. Sub-cut (49) 3 ½" x 10 ½" Rectangles. c. Cornerstone units (2) 1 ½" x WOF strips. Reserve for strip piecing. (2) 3 ½" x WOF strips. Sub-cut (40) 1 ½" x 3 ½" rectangles. d. Inner border (8) 4" x WOF strips. Piece strips and sub-cut (2) 4" x 69 ½" and (2) 4" x 75 ½" strips. e. Binding (9) 2 ½" x WOF strips. Piece strips to make a continuous binding strip.
Fabric A 885 Hyacinth	1/4y	a. Pieced blocks (1) 6" x WOF strip. Sub-cut (6) 6" x 6" squares.
Fabric B 885 Petal	3/8y	a. Pieced blocks (2) 6" x WOF strips. Sub-cut (10) 6" x 6" squares.
Fabric C 1895 Lilac	3/8y	a. Pieced blocks (2) 6" x WOF strips. Sub-cut (12) 6" x 6" squares.
Fabric D 1895 Celadon	3/8y	a. Pieced blocks (2) 6" x WOF strips. Sub-cut (10) 6" x 6" squares.

Fabric E 1895 Copacabana	3/8y	a. Pieced blocks (2) 6" x WOF strips. Sub-cut (12) 6" x 6" squares.
Fabric F S4705 Mint	3/8y	a. Pieced blocks (2) 6" x WOF strips. Sub-cut (10) 6" x 6" squares.
Fabric G S4811 Ice	1 1/8y	 a. Pieced blocks (1) 6" x WOF strip. Sub-cut (6) 6" x 6" squares. b. Cornerstone units (1) 1 ½" x WOF strip. Reserve for strip piecing. c. Outer border (8) 3 ½" x WOF strips. Piece strips and sub-cut (2) 3 ½" x 75 ½" and (2) 3 ½" x 82 ½" strips.
Fabric H T7760 Lilac Silver	3/8y	a. Pieced blocks (2) 6" x WOF strips. Sub-cut (12) 6" x 6" squares.
Fabric I T7761 Lilac Silver	3/8y	a. Pieced blocks (2) 6" x WOF strips. Sub-cut (12) 6" x 6" squares.
Fabric J T7762 Sweet Pea Silver	3/8y	a. Pieced blocks (2) 6" x WOF strips. Sub-cut (10) 6" x 6" squares.
Fabric K T7763 Lilac Silver	3/8y	a. Pieced blocks (2) 6" x WOF strips. Sub-cut (10) 6" x 6" squares.
Fabric L T7763 Leaf Silver	3/8y	a. Pieced blocks (2) 6" x WOF strips. Sub-cut (10) 6" x 6" squares.

Constructing Pieced Blocks

Note: A light lavender solid is used in place of the actual background fabric in order to better show block and quilt outlines.

1. Draw a diagonal line on the wrong side of (1) **Fabric 1** 6" x 6" square. Place square, right sides together, on (1) **Fabric 2** 6" x 6" square. Sew $\frac{1}{4}$ " away from both sides of drawn line. Cut along drawn line to yield (2) HST units. Align diagonal seam of HST units against 45 degree angle line on quilting ruler, trim units to measure 5 $\frac{1}{2}$ " x 5 $\frac{1}{2}$ " raw edge to raw edge.




2. Draw a diagonal line on the wrong side of (1) $2 \frac{1}{2}$ " x $2 \frac{1}{2}$ " background square. Place square, right sides together, at the top right corner of HST unit made in Step 1. Sew on drawn line. Trim $\frac{1}{4}$ " away from sewn line. Open and press to reveal corner triangle. Repeat with (2) $1 \frac{1}{2}$ " x $1 \frac{1}{2}$ " background squares at the top left and bottom right corner of the same HST unit. Unit measures $5 \frac{1}{2}$ " x $5 \frac{1}{2}$ " unfinished.




Repeat to make a total of (4) units.

3. Sew together (4) units to complete (1) pieced block. Block measures 10 $\frac{1}{2}$ " x 10 $\frac{1}{2}$ " unfinished.




4. Make a total number of blocks for the following Fabric 1 / Fabric 2 combinations.




Constructing Cornerstone Units

1. Sew (2) 1 ½" x WOF **background** strips to the long sides of (1) 1 ½" x WOF **Fabric G** strip. Subcut strip set at 1 ½" intervals for (20) units, as shown.



Sew to the opposite long sides (2) 1 $\frac{1}{2}$ " x 3 $\frac{1}{2}$ " background rectangles to complete (1) cornerstone unit. Unit measures 3 $\frac{1}{2}$ " x 3 $\frac{1}{2}$ " unfinished.



Make a total of (20) cornerstone units.


Quilt Center Assembly

1. Pieced rows. Refer to quilt image for block placement guide, arrange and sew together (5) pieced blocks and (4) 3 $\frac{1}{2}$ " x 10 $\frac{1}{2}$ " background sashing rectangles to make a pieced row. Make a total of (6) pieced rows. Row 1 is shown below.




2. Pieced sashing rows. Sew together (5) 3 $\frac{1}{2}$ " x 10 $\frac{1}{2}$ " background sashing rectangles and (4) cornerstone units to make a pieced sashing row. Make a total of (5) pieced sashing rows.

3. Sew together pieced rows and pieced sashing rows to complete quilt center.



Quilt Top Assembly

- 1. Inner border. Sew (2) 4" x 75 ½" **background** strips to the left and right sides of quilt center, followed by (2) 4" x 69 ½" **background** strips to the top and bottom of quilt center.
- 2. Outer border. Sew (2) 3 $\frac{1}{2}$ " x 82 $\frac{1}{2}$ " **Fabric G** strips to the left and right sides of quilt center, followed by (2) 3 $\frac{1}{2}$ " x 75 $\frac{1}{2}$ " **Fabric G** strips to the top and bottom of quilt center to complete quilt top.



Finishing

- 1. Layer backing, batting and quilt top.
- 2. Baste the layers together. Quilt as desired.
- 3. Bind to complete the quilt.