



JOLLY NOEL

Fabric Requirements



1895 5-Red 5/8 Yard



1895 362-Belize 5/8 Yard



1895 189-Christmas Green 3/8 Yard



1895 371-Aruba 3/8 Yard



1895 226-Seaholly 1/8 Yard



1895 539-Parsley 3/8 Yard



1895 265-Oyster 4 3/8 Yards



1895 577-Bayou 3/8 Yard



1895 292-Cardinal 5/8 Yard* *binding



1895 349-Frank 1/2 Yard



1895 580-Cypress 1/2 Yard



1895 630-Ballet Pink 5/8 Yard





JOLLY NOEL

Backing: 68" x 83" (3 ⁷/₈ yard of 42" wide fabric – 2 widths with horizontal seams)

Fabrics and Cutting Chart

Fabric				
Fabric Oyster (Background)	Cutting Directions Cutting Directions Row 1 & 7 (3) 1 ½" x WOF strips. Reserve for strip piecing with 1 ½" x WOF Fabric A strips. (4) 1 ½" x WOF strips. Reserve for strip piecing with 3 ½" x WOF green strips. (9) 1 ½" x WOF strips. Sub-cut (64) 1 ½" x 1 ½" squares. (32) 1 ½" x WOF strips. Sub-cut (69) 1 ½" x 2 ½" rectangles. (4) 2 ½" x WOF strip. Sub-cut (26) 1 ½" x 6 ½" rectangles. (1) 15 ½" x WOF strip. Sub-cut (26) 1 ½" x 6 ½" rectangles. (1) 15 ½" x WOF strip. Sub-cut (16) 1 ½" x 15 ½" and (1) 1 ½" x WOF strips. Sub-cut (16) 1 ½" x 1 ½" squares. Row 2 & 6 (7) 1 ½" x WOF strips. Sub-cut (180) 1 ½" x 1 ½" squares. Row 3 (2) 1 ½" x WOF strips. Sub-cut (180) 1 ½" x 2 ½" squares. Row 3 (2) 1 ½" x WOF strips. Sub-cut (12) 2 ½" x 1 ½" squares. Row 3 (2) 1 ½" x WOF strips. Sub-cut (12) 2 ½" x 2 ½" and (1) 2 ½" x WOF strips. Sub-cut (24) 3" x 3" squares. (1) 2 ½" x WOF strips. Sub-cut (24) 3" x 3" squares. (2) 3 ½" x WOF strips. Sub-cut (24) 3" x 3" squares. (2) 3 ½" x WOF strips.			
	Row 4 N block (1) 4 ¹ / ₂ " x WOF strip. Sub-cut (2) 4 ¹ / ₂ " x 4 ¹ / ₂ " and (2) 1 ¹ / ₂ " x 1 ¹ / ₂ " squares. (2) 1 ¹ / ₂ " x 10 ¹ / ₂ ", (1) 1 ¹ / ₂ " x 2 ¹ / ₂ " and (2) 1" x 3" rectangles.			

Fabric	Cutting Directions
	Row 4 E block (1) 2 ¹ / ₂ " x WOF strip. Sub-cut (1) 2 ¹ / ₂ " x 2 ¹ / ₂ " square; (2) 2 ¹ / ₂ " x 6 ¹ / ₂ " and (2) 1 ¹ / ₂ " x 10 ¹ / ₂ " rectangles.
	Row 4 L block (1) 2 ¹ / ₂ " x WOF strip. Sub-cut (1) 2 ¹ / ₂ " x 8 ¹ / ₂ ", (2) 2 ¹ / ₂ " x 3", (2) 2" x 3 ¹ / ₂ ", (2) 1 ¹ / ₂ " x 3 ¹ / ₂ " and (1) 1 ¹ / ₂ " x 2 ¹ / ₂ " rectangles.
	Row 5 (8) 3" x WOF strips. Sub-cut (60) 3" x 3" squares; (12) 2" x 3", (12) 1" x 3" and (12) 3" x 5" rectangles.
	Sashing strips (7) 1 ¹ / ₂ " x WOF strips. Piece strips and sub-cut (4) 1 ¹ / ₂ " x 60 ¹ / ₂ " strips.
	 Row 1 & 7 (3) 1 ¹/₂" x WOF strips. Reserve for strip piecing with 1 ¹/₂" x WOF Background strips (1) 1 ¹/₂" x WOF strip. Sub-cut (8) 1 ¹/₂" x 1 ¹/₂" squares.
Red (Fabric A)	Row 2 & 6 (1) 1 ¹ / ₂ " x WOF strip. Sub-cut (24) 1 ¹ / ₂ " x 1 ¹ / ₂ " squares.
	 Row 3 (1) 3" x WOF strip. Sub-cut (4) 3" x 3" squares and (2) 3" x 10 ¹/₂" rectangles. (1) 3 ¹/₂" x WOF strip. Sub-cut (2) 3 ¹/₂" x 3 ¹/₂" and (4) 3" x 3" squares.
	 Row 4 "N" & O blocks (1) 1 ¹/₂" x WOF strip. Sub-cut (2) 1 ¹/₂" x 1 ¹/₂" squares, (1) 1" x 3" rectangle and (2) 1 ¹/₄" x 1 ¹/₄" squares (for N block); (1) 1" x 3 ¹/₂" and (1) 1" x 2 ¹/₂" rectangles (for O block).
	Row 4 L block (1) 1 ¹ / ₂ " x WOF strip. Sub-cut (2) 1 ¹ / ₂ " x 1 ¹ / ₂ " squares; (1) 1 ¹ / ₂ " x 2 ¹ / ₂ " and (1) 1" x 3 ¹ / ₂ " rectangles.
	Row 5 (1) 3" x WOF strip. Sub-cut (1) 3" x 5 ¹ / ₂ ", (1) 3" x 7 ¹ / ₂ ", (1) 3" x 10 ¹ / ₂ " and (4) 1 ¹ / ₂ " x 3" rectangles.
132	 Row 1 & 7 (1) 3 ¹/₂" x WOF strip. Reserve for strip piecing with 1 ¹/₂" x WOF Background strip. (1) 3 ¹/₂" x WOF strip. Sub-cut (24) 1 ¹/₂" x 3 ¹/₂" rectangles.
Christmas Green (Fabric B)	

Fabric	Cutting Directions				
	Row 4 L (1) 2 ¹ / ₂ " x WOF strip. Sub-cut (1) 2 ¹ / ₂ " x 8 ¹ / ₂ " and (1) 2 ¹ / ₂ " x 10 ¹ / ₂ " rectangles. Row 5				
	(1) 1 $\frac{1}{2}$ " x WOF strip. Sub-cut (6) 1 $\frac{1}{2}$ " x 3" rectangles, for tree trunks.				
Seaholly (Fabric C)	Row 2 & 5 & 6 (1) 1 ¹ / ₂ " x WOF strip. Sub-cut (10) 1 ¹ / ₂ " x 1 ¹ / ₂ " squares (for Row 2 & 6); and (4) 1 ¹ / ₂ " x 3" rectangles (for Row 5)				
Cardinal (Fabric D)	Binding (8) 2 ¹ /4" x WOF strips. Piece strips to make a continuous binding strip.				
the for	Row 2 & 6 blocks (3) 1 ¹ / ₂ " x WOF strip. Sub-cut (70) 1 ¹ / ₂ " x 1 ¹ / ₂ " squares.				
Frank (Fabric E)	Row 3 (1) 3" x WOF strip. Sub-cut (4) 3" x 3" squares and (2) 3" x 10 ¹ / ₂ " rectangles. (1) 3 ¹ / ₂ " x WOF strip. Sub-cut (2) 3 ¹ / ₂ " x 3 ¹ / ₂ " and (4) 3" x 3" squares.				
(radric E)	Row 4 "O" block (1) 1 ¼" x WOF strip. Sub-cut (2) 1 ¼" x 2 ½" rectangles.				
	Row 5 (1) 3" x WOF strip. Sub-cut (1) 3" x 7 ¹ / ₂ " and (10) 1 ¹ / ₂ " x 3" rectangles.				
	 Row 1 & 7 blocks (1) 3 ¹/₂" x WOF strip. Reserve for strip piecing with 1 ¹/₂" x WOF Background strip. (1) 3 ¹/₂" x WOF strip. Sub-cut (24) 1 ¹/₂" x 3 ¹/₂" rectangles. 				
Belize (Fabric F)	Row 3 (1) 2 ¹ / ₂ " x WOF strip. Sub-cut (4) 2 ¹ / ₂ " x 3 ¹ / ₂ ", (2) 1" x 3", (2) 1" x 5" rectangles and (4) 1 ¹ / ₂ " x 1 ¹ / ₂ " squares.				
	Row 4 "N" block (1) 4 ¹ / ₂ " x WOF strip. Sub-cut (1) 4 ¹ / ₂ " x 7" and (2) 2 ¹ / ₂ " x 10 ¹ / ₂ " rectangles.				

Fabric	Cutting Directions
	Row 5 (1) 3" x WOF strip. Sub-cut (1) 3" x 7 ¹ / ₂ " and (9) 1 ¹ / ₂ " x 3" rectangles.
Aruba (Fabric G)	Row 2 & 6 blocks (1) 1 ½" x WOF strip. Sub-cut (20) 1 ½" x 1 ½" squares. Row 3 (1) 2 ½" x WOF strip. Sub-cut (4) 2 ½" x 3 ½", (2) 1" x 3", (2) 1" x 5" rectangles and (4) 1 ½" x 1 ½" squares. Row 4 L block (1) 2 ¾" x WOF strip. Sub-cut (2) 2 ¾" x 3 ½" rectangles.
	Row 5 (1) 3" x WOF strip. Sub-cut (1) 3" x 5 ¹ / ₂ ", (1) 3" x 7 ¹ / ₂ ", (1) 3" x 10 ¹ / ₂ " and (10) 1 ¹ / ₂ " x 3" rectangles.
Set .	Row 3 (1) 2 ¹ / ₂ " x WOF strip. Sub-cut (4) 2 ¹ / ₂ " x 3 ¹ / ₂ ", (2) 1" x 3", (2) 1" x 5" rectangles and (4) 1 ¹ / ₂ " x 1 ¹ / ₂ " squares.
Parsley (Fabric H)	Row 4 E block (1) 2 ¹ / ₂ " x WOF strip. Sub-cut (1) 2 ¹ / ₂ " x 10 ¹ / ₂ ", (2) 2 ¹ / ₂ " x 6 ¹ / ₂ " and (1) 2 ¹ / ₂ " x 4 ¹ / ₂ " rectangles. Row 5
	(1) 3" x WOF strip. Sub-cut (1) 3" x 5 $\frac{1}{2}$ ", (1) 3" x 10 $\frac{1}{2}$ " and (8) 1 $\frac{1}{2}$ " x 3" rectangles.
	 Row 1 & 7 (1) 3 ¹/₂" x WOF strip. Reserve for strip piecing with 1 ¹/₂" x WOF Background strip. (1) 3 ¹/₂" x WOF strip. Sub-cut (24) 1 ¹/₂" x 3 ¹/₂" rectangles.
Bayou (Fabric I)	Row 5 (1) 3" x WOF strip. Sub-cut (1) 3" x 5 ¹ / ₂ ", (1) 3" x 7 1/2" and (1) 3" x 10 ¹ / ₂ " rectangles.
	 Row 1 & 7 (1) 3 ¹/₂" x WOF strip. Reserve for strip piecing with 1 ¹/₂" x WOF Background strip. (1) 3 ¹/₂" x WOF strip. Sub-cut (24) 1 ¹/₂" x 3 ¹/₂" rectangles.
Cypress (Fabric J)	Row 4 O block (1) 3 ¹ / ₂ " x WOF strip. Sub-cut (1) 3 ¹ / ₂ " x 3 ¹ / ₂ " and (4) 1 ¹ / ₂ " x 1 ¹ / ₂ " squares; (2) 2 ¹ / ₂ " x 4 ¹ / ₂ ", (2) 2 ¹ / ₂ " x 6 ¹ / ₂ " and (1) 2 ¹ / ₂ " x 10 ¹ / ₂ " rectangles.

Fabric	Cutting Directions		
	Row 5 (1) 3" x WOF strip. Sub-cut (1) 3" x 5 ¹ / ₂ ", (1) 3" x 10 ¹ / ₂ " and (5) 1 ¹ / ₂ " x 3" rectangles.		
ST POR	Row 2 & 6 (3) 1 ¹ / ₂ " x WOF strip. Sub-cut (56) 1 ¹ / ₂ " x 1 ¹ / ₂ " squares		
Ballet Pink (Fabric K)	 Row 3 (1) 3" x WOF strip. Sub-cut (4) 3" x 3" squares and (2) 3" x 10 ¹/₂" rectangles. (1) 3 ¹/₂" x WOF strip. Sub-cut (2) 3 ¹/₂" x 3 ¹/₂" and (4) 3" x 3" squares. 		
	Row 4 N & O & L blocks (1) 3 ¹ / ₂ " x WOF strip. Sub-cut (2) 1 ³ / ₄ " x 3" rectangles (for N block); (1) 3 ¹ / ₂ " x 3 ¹ / ₂ " square (for O block); (2) 1 ¹ / ₂ " x 2 ¹ / ₂ " rectangles (for L block)		
	Row 5 (1) 3" x WOF strip. Sub-cut (1) 3" x 5 ½", (1) 3" x 7 ½", (1) 3" x 10 ½" and (4) 1 ½" x 3" rectangles.		

Constructing Row 1 & Row 7

1. Sew together (1) 1 ¹/₂" x WOF **Background** strip and (1) 1 ¹/₂" x WOF **Fabric A** strip, along the long sides to make a strip set. Make a total of (3) strip sets, and sub-cut at 1 ¹/₂" intervals for a total of (64) units, 8 for each block.



Sew together (2) units to make a 4-patch unit. Make a total of (4) units.



2. Sew (1) 1 $\frac{1}{2}$ " x 2 $\frac{1}{2}$ " **Background** rectangle to the left of step 1 unit, followed by (1) 1 $\frac{1}{2}$ " x 3 $\frac{1}{2}$ " **Background** rectangle to the bottom of the same unit.




3. Sew together (1) 1 $\frac{1}{2}$ " x WOF **Background** strip and (1) 3 $\frac{1}{2}$ " x WOF green strip, along the long sides to make a strip set. Sub-cut at 1 $\frac{1}{2}$ " intervals for a total of (24) units per color combo, (12) for each block.



4. Sew (1) 1 ¹/₂" x 3 ¹/₂" green rectangle to the left of step 2 unit, followed by (1) step 3 unit to the bottom of the same unit.




5. Sew (1) step 3 unit to the left of step 4 unit.




Then, sew (2) 1 $\frac{1}{2}$ " x 1 $\frac{1}{2}$ " Background squares to the opposite short sides of (1) 1 $\frac{1}{2}$ " x 3 $\frac{1}{2}$ " green rectangle to make a row unit.

Sew row unit to the bottom of step 4 unit.




6. Sew (1) 1 ¹/₂" x 2 ¹/₂" Background rectangle to the top of (1) 1 ¹/₂" x 3 ¹/₂" green rectangle to make a column unit. Sew unit to the left of step 5 unit.



Then, sew (1) 1 $\frac{1}{2}$ " x 2 $\frac{1}{2}$ " Background rectangle to the left side of (1) step 3 unit to make a row unit, as shown.



Sew row unit to the bottom of step 5 unit to complete 1 block quadrant. Quadrant measures 6 $\frac{1}{2}$ " x 6 $\frac{1}{2}$ " unfinished. Make a total of (2) quadrants, and (2) mirror-imaged quadrants



7. Sew (1) quadrant and (1) mirror-imaged quadrant to the opposite long sides of (1) $1 \frac{1}{2}$ " x $6 \frac{1}{2}$ " Background rectangle to make a row unit. Make a total of (2) row units.


Sew (2) 1 ¹/₂" x 6 ¹/₂" Background rectangles to the opposite sides of (1) 1 ¹/₂" x 1 ¹/₂" Fabric A square to make a row unit.

Sew together row units to complete block center.


1	15		
1		I.	1

8. Sew (2) 1 ¹/₂" x 13 ¹/₂" Background rectangles to the opposite sides of block center, followed by (2) 1 ¹/₂" x 15 ¹/₂" Background rectangles to the remaining opposite sides of block center to complete (1) block. Block measures 15 ¹/₂" x 15 ¹/₂" unfinished.

Make a total of (2) blocks each for the following green fabrics:



9. Arrange and sew (4) blocks to make Row 1, and Row 7. Row 1






Constructing Row 2 & Row 6

1. Sew together (2) 1 ¹/₂" x 1 ¹/₂" fabric squares and (1) 1 ¹/₂" x 1 ¹/₂" Background square to make a row unit. Make a total of (2) row units.



Sew together (2) 1 ¹/₂" x 1 ¹/₂" Background squares and (1) 1 ¹/₂" x 1 ¹/₂" fabric square to make a row unit.




Sew together row units to make (1) 9 patch block. Block measures 3 ¹/₂" x 3 ¹/₂" unfinished.




Row 7

Make a total number of blocks for the following fabrics:



2. Sew together (2) 1 ¹/₂" x 1 ¹/₂" Background squares and (1) 1 ¹/₂" x 1 ¹/₂" fabric square to make a row unit. Make a total of (2) row units.




Sew together (2) 1 $^{1}\!/_{2}$ " x 1 $^{1}\!/_{2}$ " fabric squares and (1) 1 $^{1}\!/_{2}$ " x 1 $^{1}\!/_{2}$ " Background square to make a row unit.




Sew together row units to make (1) 9 patch block. Block measures 3 1/2" x 3 1/2" unfinished.



Make a total number of blocks for the following fabrics:



3. Arrange and sew together (20) blocks to make a pieced row, alternating blocks made in step 1 and 2. Make a total of (2) rows for Row 2 and Row 6.



Constructing Row 3

1. Draw a diagonal line on the wrong side of (1) 3" x 3" red1 square. Place square, right sides together, at a corner of (1) 3" x 5 $\frac{1}{2}$ " Background rectangle. Sew on drawn line. Trim $\frac{1}{4}$ " away from sewn line. Open and press to reveal corner triangle. Repeat with another red1 square at the opposite corner of the same rectangle to make a Flying Geese unit. Sew (2) 3" x 3" Background squares to the opposite short sides of Flying Geese unit.



2. Draw a diagonal line on the wrong side of (1) 3" x 3" Background square. Place square, right sides together, at a corner of (1) 3" x 10 $\frac{1}{2}$ " red1 rectangle. Sew on drawn line. Trim $\frac{1}{4}$ " away from sewn line. Open and press to reveal corner triangle. Repeat with another 3" x 3" Background square at the opposite corner of the same rectangle.




3. Sew (2) 2 ³/₄" x 3" Background rectangles to the opposite long sides of (1) 1" x 3" green rectangle to make a row unit.



Draw a diagonal line on the wrong side of (1) 3" x 3" red 2 square. Place square, right sides together, at the top left corner of the previously sewn unit. Sew on drawn line. Trim ¹/₄" away from sewn line. Open and press to reveal corner triangle. Repeat with another 3" x 3" red2 square at the top right corner of the same sewn unit.



4. Draw a diagonal line on the wrong side of (1) $3 \frac{1}{2}$ " x $3 \frac{1}{2}$ " Background square. Place square, right sides together, on (1) $3 \frac{1}{2}$ " x $3 \frac{1}{2}$ " red2 square. Sew $\frac{1}{4}$ " away from both sides of drawn line. Cut along drawn line to yield (2) HST units. Open and press. Align diagonal seam of HST units against 45-degree line on quilting ruler, trim units to measure 3" x 3" unfinished. Add HST units to the opposite short sides of step 3 unit.



5. Draw a diagonal line on the wrong side of $(1) 2 \frac{1}{2}$ " x $2 \frac{1}{2}$ " Background square. Place square, right sides together, at the top right corner of $(1) 2 \frac{1}{2}$ " x $3 \frac{1}{2}$ " green rectangle. Sew on drawn line. Trim $\frac{1}{4}$ " away from sewn line. Open and press to reveal corner triangle. Repeat with $(1) 1 \frac{1}{2}$ " x $1 \frac{1}{2}$ " Background square at the bottom left corner of the same rectangle.



6. Draw a diagonal line on the wrong side of $(1) 1 \frac{1}{2}$ " x $1 \frac{1}{2}$ " green square. Place square, right sides together, at a corner of $(1) 1 \frac{1}{2}$ " x $2 \frac{1}{2}$ " Background rectangle. Sew on drawn line. Trim $\frac{1}{4}$ " away from sewn line. Open and press to reveal corner triangle. Sew $(1) 1 \frac{1}{2}$ " x $1 \frac{1}{2}$ " Background square to the top of sewn unit.




7. Sew (1) 2 ¹/₄" x 3 ¹/₂" Background rectangle to the left, and step 5 unit to the right of step 6 unit.

Sew (1) 1 $\frac{1}{2}$ " x 5 1/4" Background rectangle to the top, and (1) 1" x 5 1/4" Background rectangle to the bottom of the previously sewn unit.



Repeat to make a mirror-imaged unit. Sew both units to the opposite long sides of (1) 1" x 5" green rectangle.



8. Sew together units made in steps 1, 2, 4 and 7 to complete (1) block. Block measures $10 \frac{1}{2}$ " x $12 \frac{1}{2}$ " unfinished.



Make a total of (2) blocks for the following red1 / red2 / green fabric combinations:



9. Arrange and sew together blocks into a pieced row.



(All blocks will measure 10 ¹/₂" x 10 ¹/₂" unfinished)

1. N block

a. Sew (2) 1 $\frac{3}{4}$ " x 3" Fabric K rectangles to the opposite long sides of (1) 1" x 3" Fabric A rectangle. Then, add (2) 1" x 3" Background rectangles to the left and right sides to make a row unit.



b. Draw a diagonal line on the wrong side of (1) $1 \frac{1}{2}$ " x $1 \frac{1}{2}$ " Fabric A square. Place square, right sides together, at a corner of (1) $1 \frac{1}{2}$ " x $2 \frac{1}{2}$ " Background rectangle. Sew on drawn line. Trim $\frac{1}{4}$ " away from sewn line. Open and press to reveal corner triangle. Repeat with another $1 \frac{1}{2}$ " x $1 \frac{1}{2}$ " Fabric A square at the opposite corner of the same rectangle to make a Flying Geese unit. Add (2) $1 \frac{1}{2}$ " x $1 \frac{1}{2}$ " Background squares to the opposite short ends of Flying Geese unit. Add to the top of step a unit.



c. Draw a diagonal line on the wrong side of (1) 4 $\frac{1}{2}$ " x 4 $\frac{1}{2}$ " Background square. Place square, right sides together, at the top right corner of (1) 4 $\frac{1}{2}$ " x 7" Fabric F rectangle. Sew on drawn line. Trim $\frac{1}{4}$ " away from sewn line. Open and press to reveal corner triangle. Repeat with another 4 $\frac{1}{2}$ " x 4 $\frac{1}{2}$ " Background square at the bottom left corner of the same rectangle.



d. Sew step c unit on top of step b unit. Add (2) $2 \frac{1}{2}$ " x $10 \frac{1}{2}$ " Fabric F rectangles to the left and right sides, followed by (2) $1 \frac{1}{2}$ " x $10 \frac{1}{2}$ " Background rectangles to the left and right sides to complete N block.



2. O block

a. Sew (2) 1 ¹/₄" x 2 ¹/₂" Fabric E rectangles to the opposite long sides of (1) 1" x 2 ¹/₂" Fabric A rectangle. Draw a diagonal line on the wrong side of (1) 1" x 1" Background square. Place square, right sides together, at the corner of sewn unit. Sew on drawn line. Trim ¹/₄" away from sewn line. Open and press to reveal corner triangle. Repeat with (3) additional 1" x 1" Background squares at the remaining (3) corners of sewn unit.



b. Draw a diagonal line on the wrong side of (1) 1 1/4" x 1 1/4" Fabric A square. Place square, right sides together, at a corner of (1) 1 $\frac{1}{4}$ " x 3 $\frac{1}{2}$ " Background rectangle. Sew on drawn line. Trim $\frac{1}{4}$ " away from sewn line. Open and press to reveal corner triangle.



Repeat to make a mirror-imaged unit and sew both units to the opposite long sides of (1) 1" x 3 $\frac{1}{2}$ " Fabric A rectangle.



c. Sew (1) 1 ¹/₂" x 2 ¹/₂" Background rectangle to the bottom step b unit, followed by (2) 2 ¹/₂" x 6 ¹/₂" Background rectangles to the left and right sides.



d. Draw a diagonal line on the wrong side of $(1) \ 1 \ \frac{1}{2}$ " x 1 $\frac{1}{2}$ " Fabric J square. Place square, right sides together, at a corner of step c unit. Sew on drawn line. Trim $\frac{1}{4}$ " away from sewn line. Open and press to reveal corner triangle. Repeat with (3) 1 $\frac{1}{2}$ " x 1 $\frac{1}{2}$ " Fabric J squares at the remaining corners of the same unit.



e. Sew (2) 2 ¹/₂" x 6 ¹/₂" Fabric J rectangles to the left and right sides of step d unit. Draw a diagonal line on the wrong side of (1) 2 1/2" x 2 1/2" Background square. Place square, right sides together, at a corner of (1) 2 ¹/₂" x 10 ¹/₂" Fabric J rectangle. Sew on drawn line. Open and press to reveal corner triangle. Repeat with second 2 1/2" x 2 1/2" Background square at opposite end of Fabric J rectangle. Sew to bottom of step d unit.



f. Draw a diagonal line on the wrong side of (1) 3 ¹/₂" x 3 ¹/₂" Fabric J square. Place square, right sides together, on (1) 3 ¹/₂" x 3 ¹/₂" Fabric K square. Sew ¹/₄" away from both sides of drawn line. Cut along drawn line to yield (2) HST units. Open and press. Draw a diagonal line on the wrong side of (1) HST unit. Place HST unit, right sides together with contrasting fabrics facing each other, on another HST unit. Sew ¹/₄" away from both sides of drawn line. Cut along drawn line to yield (2) QST units. Block uses only (1) unit. Open and press. Trim unit to measure 2 ¹/₂" x 2 ¹/₂" unfinished.



g. Draw a diagonal line on the wrong side of (1) $2 \frac{1}{2}$ " x $2 \frac{1}{2}$ " Background square. Place square, right sides together, at a corner of (1) $2 \frac{1}{2}$ " x $4 \frac{1}{2}$ " Fabric J rectangle. Sew on drawn line. Trim $\frac{1}{4}$ " away from sewn line. Open and press to reveal corner triangle. Repeat to make a mirror-imaged unit and sew both units to the opposite sides of step f unit.



h. Sew step g unit on top of step e unit to complete O block.



3. E block

a. Sew (1) 2 ¹/₂" x 4 ¹/₂" Fabric H rectangle to the left of (1) 2 ¹/₂" x 2 ¹/₂" Background square to make a row unit.



b. Sew (2) 2 $\frac{1}{2}$ " x 6 $\frac{1}{2}$ " Background rectangles to the top and bottom of step a unit, followed by (2) 2 $\frac{1}{2}$ " x 6 $\frac{1}{2}$ " Fabric H rectangles.



c. Add (1) 2 $\frac{1}{2}$ " x 10 $\frac{1}{2}$ " Fabric H rectangle to the left of step b unit, followed by (2) 1 $\frac{1}{2}$ " x 10 $\frac{1}{2}$ " Background rectangles to the left and right sides to complete E block.



4. L block

a. Draw a diagonal line on the wrong side of (1) 1 ¹/₂" x 1 ¹/₂" Fabric A square. Place square, right sides together, at a corner of (1) 1 ¹/₂" x 2 ¹/₂" Background rectangle. Sew on drawn line. Trim ¹/₄" away from sewn line. Open and press to reveal corner triangle. Repeat with another 1 ¹/₂" x 1 ¹/₂" Fabric A square at the opposite corner of the same rectangle. Sew (2) 1 ¹/₂" x 3 ¹/₂" Background rectangles to the opposite sides of sewn unit.



b. Sew (2) 1 ¹/₂" x 2 ¹/₂" Fabric K rectangles to the opposite long sides of (1) 1 ¹/₂" x 2 ¹/₂" Fabric A rectangle. Add (2) 2 ¹/₂" x 3" Background rectangles to the left and right sides of sewn unit.



c. Sew (2) 2 ³/₄" x 3 ¹/₂" Fabric G rectangles to the opposite long sides of (1) 1" x 3 ¹/₂" Fabric A rectangle. Add (2) 2" x 3 ¹/₂" Background rectangles to the left and right sides of sewn unit.



d. Sew together units made in steps a-c. Add (1) 2 $\frac{1}{2}$ " x 8 $\frac{1}{2}$ " Background rectangle to the top, followed by (1) 2 $\frac{1}{2}$ " x 8 $\frac{1}{2}$ " Fabric B rectangle to the left, and (1) 2 $\frac{1}{2}$ " x 10 $\frac{1}{2}$ " Fabric B rectangle to the bottom to complete L block.



5. Sew together N, O, E, L blocks to make a row unit. Add (2) $10 \frac{1}{2}$ " x $10 \frac{1}{2}$ " Background squares to the opposite short sides to complete Row 4.



Constructing Row 5


1. Draw a diagonal line on the wrong side of (1) 3" x 3" Background square. Place square, right sides together, at a corner of (1) 3" x 5 $\frac{1}{2}$ " Fabric 1 rectangle. Sew on drawn line. Trim $\frac{1}{4}$ " away from sewn line. Open and press to reveal corner triangle. Repeat with another 3" x 3" Background square at the opposite corner of the same rectangle. Add (2) 3" x 3" Background squares to the opposite short sides.



2. Draw a diagonal line on the wrong side of (1) 3" x 3" Background square. Place square, right sides together, at a corner of (1) 3" x 7 $\frac{1}{2}$ " Fabric 2 rectangle. Sew on drawn line. Trim $\frac{1}{4}$ " away from sewn line. Open and press to reveal corner triangle. Repeat with another 3" x 3" Background square at the opposite corner of the same rectangle. Add (2) 2" x 3" Background rectangles to the opposite short sides.



3. Sew together (5) 1 ¹/₂" x 3" Fabric 3 and (4) 1 ¹/₂" x 3" Fabric 4 rectangles along the long sides to make a rectangle unit. Draw a diagonal line on the wrong side of (1) 3" x 3" Background square. Place square, right sides together, at a corner of the rectangle unit. Sew on drawn line. Trim ¹/₄" away from sewn line. Open and press to reveal corner triangle. Repeat with another 3" x 3" Background square at the opposite corner of the same rectangle unit. Add (2)1" x 3" Background squares to the opposite short sides.



4. Draw a diagonal line on the wrong side of (1) 3" x 3" Background square. Place square, right sides together, at a corner of (1) 3" x 10 $\frac{1}{2}$ " Fabric 1 rectangle. Sew on drawn line. Trim $\frac{1}{4}$ " away from sewn line. Open and press to reveal corner triangle. Repeat with another 3" x 3" Background square at the opposite corner of the same rectangle.




5. Sew (2) 3" x 5" Background rectangles to the opposite sides of (1) 1 ¹/₂" x 3" Fabric B rectangle.




6. Sew together units made in steps 1-5 to complete (1) block. Block measures 10 $^{1\!/_2}$ x 13" unfinished.



7. Make (1) block each for the following Fabric 1 / Fabric 2 / Fabric 3 / Fabric 4 combinations.



8. Sew together blocks to make Row 5.



1. Sew together pieced rows and (4) 1 $\frac{1}{2}$ " x 60 $\frac{1}{2}$ " Background sashing strips to complete quilt top in the following order:

Row 1, Row 2, sashing strip, Row 3, sashing strip, Row 4, sashing strip, Row 5, sashing strip, Row 6, and Row 7.



Finishing

- 1. Layer backing, batting and quilt top.
- 2. Baste the layers together. Quilt as desired.
- 3. Bind to complete the quilt.