

Radiant Highway

Quilt design by Linda Ambrosini featuring fabrics from the "Radiant Gradients" collection by Hoffman California Fabrics



Finished Size 56" x 68"

Free pattern available from HoffmanFabrics.com



"Radiant Highway" featuring fabrics by Hoffman Calfornia Fabrics

FABRICS	
A - M7426-65-Denim	¾ yard
B - M7426-158-Victorian Rose	e 5/8 yard
C - M7426-296-Steel	3/8 yard
D - M7426-502-Coconut	1/2 yard
E - M7426-581-Bluegrass	¾ yard
F - M7426-302-Stone	5/8 yard
G - M7426-299-Castlerock	3/8 yard
H - 1895-113-Frost	l ¾ yards
I - N7700-28-Silver*	1/2 yard

Quilt Yardage Chart

*Yardage includes binding.

BACKING: Coordinate of your choice. 4 ¼ yards

1895-113-Frost



M7426-65-Denim



M7426-158-Victorian Rose



M7426-296-Steel



M7426-502-Coconut



M7426-581-Bluegrass



M7426-302-Stone



M7426-299-Castlerock



N7700-28-Silver

View swatches & download quilt patterns at HoffmanFabrics.com

Radiant Highway

By Linda Ambrosini Finished Size 56" x 68"

Let the ombre print of the Radiant Gradients fabric do all the work for you. This is truly a very simple row quilt.

Fabric Requirements:

N710/ (E Danim	E/O v d	
M7426-65 Denim	5/8 yd	
M7426-158 Victorian Rose	3/8 yd	
M7426-296 Steel	½ yd	
M7426-502 Coconut	½ yd	
M7426-581 Bluegrass	³∕₄ yd	
M7426-302 Stone	5/8 yd	
M7426-299 Castle Rock	3/8 yd	
1895-113 Frost	1 3/8 yd	
N7700-28 Silver	1/2 yd	for binding

Cutting and Row Construction:

From the background fabric (1896-113 Frost) cut (19) strips at $2\frac{1}{2}$ " by WOF. Sub cut the following rectangles for stop blocks in the gradient rows. (5) - $2\frac{1}{2} \times 5$ ", (5) - $2\frac{1}{2} \times 4$ " and (3) - $2\frac{1}{2} \times 3$ ". The remainder of the strips are sewn together end to end and cut into (12) – $2\frac{1}{2} \times 56$ " strips for sashing.

The following chart gives the cutting and sewing instructions for each gradient row of this quilt. Row #1 is the top row as shown in the photo. Each row consists of 2 WOF Radiant Gradient strips and 1 Frost stop block rectangle. Remove all salvages prior to sewing and measuring. The Radiant Gradient fabrics are sewn as mirror images around the Frost stop block with either the light or the dark shade mirroring each other, as listed in the chart. The offset pattern of the stop blocks is achieved by making a cut from the left hand side by the dimension given in the chart for each row. For example, Row #1, sew the two 5"x WOF Bluegrass strips with the light sides mirroring (to the left and the right sides of a $2 \frac{1}{2} \times 5$ " Frost stop block. Measure over 9" from the left hand side of the sewn strip and cut at this 9" dimension. Remove the 5" x 9" piece just cut. From this new left hand starting point, measure over 56" to create the final length of the row #1. Continue with subsequent rows. All the rows will measure 56".

Row #	Fabric	Width cut (2)	Dark/Light	Offset Cut
1	M7426-581	5"	Light	9"
	Bluegrass			
2	M7426-299	4"	Dark	6"
	Castlerock			
3	M7426-302	5"	Dark	3"
	Stone			
4	M7426-581	3"	Light	No offset
	Bluegrass			
5	M7426-502	5"	Dark	3"
	Coconut			
6	M7426-65	5"	Light	6"
	Denim			
7	M7426-296	3"	Dark	9"
	Steel			
8	M7426-302	4"	Dark	6"
	Stone			
9	M7426-581	4"	Dark	3"
	Bluegrass			
10	M7426-502	3"	Light	No Offset
	Coconut			
11	M7426-296	4"	Dark	3"
	Steel			
12	M7426-158	5"	Light	6"
	Victorian Rose			
13	M7426-65	4"	Light	9"
	Denim			

Once all the rows are cut and sewn individually, sew the rows to each other to complete the quilt. Each of the rows listed above have a $2\frac{1}{2}x$ 56" row of Frost sashing sewn between. These were already cut to length in the cutting instructions. Easy Peasy®

Quilt, Bind, and Enjoy!