




BEGINNER | 1 DAY CLASS

# WOODSY WINTER


Finished Quilt: 47" x 70"

Quilt design by Cyndi Hershey, featuring A Winter's Sky.

Holiday sophistication and beauty at its finest. Large blocks in a linear pattern show off these fresh fabrics with the perfect balance of light and dark.




Midnight Colorway



Storm Colorway

## MIDNIGHT COLORWAY      STORM COLORWAY



MIDNIGHT FABRICS	1 KIT
R7682 113S-Frost Silver	1/2 Yard**
R7683 19S-Navy Silver	1/2 Yard
R7684 19S-Navy Silver	1/4 Yard
R7684 113S-Frost Silver	1/2 Yard
R7685 190S-Ice Blue Silver	1/2 Yard
R7686 190S-Ice Blue Silver	1/2 Yard
G8555 3S-White Silver	7/8 Yard
G8555 78S-Scarlet Silver	2/3 Yard*
G8556 113S-Frost Silver	1/4 Yard

STORM FABRICS	1 KIT
R7682 147S-Storm Silver	1/2 Yard**
R7683 213S-Onyx Silver	1/2 Yard
R7684 147S-Storm Silver	1/4 Yard
R7684 113S-Frost Silver	1/2 Yard
R7685 213S-Onyx Silver	1/2 Yard
R7686 213S-Onyx Silver	1/2 Yard
G8555 3S-White Silver	7/8 Yard
G8555 78S-Scarlet Silver	2/3 Yard*
G8565 176S-Ice Silver	1/4 Yard

\* includes binding

\*\* Additional yardage may be needed for fussy cutting

FREE PATTERN DOWNLOAD

[HoffmanFabrics.com](http://HoffmanFabrics.com)

## A Woodsy Winter quilt instructions

Design and instructions revised from original Woody Winter quilt concept

47" x 69 1/2"

<u>Midnight</u>	<u>Storm</u>	<u>Yardage</u>
A. R7682 Frost Silver	R7682 Storm Silver	1/2 yard **
B. R7683 Navy Silver	R7683 Onyx Silver	1/2 yard
C. R7685 Ice Blue Silver	R7685 Onyx Silver	1/2 yard
D. R7684 Navy Silver	R7684 Storm Silver	1/4 yard
E. R7686 Ice Blue Silver	R7686 Onyx Silver	1/2 yard
F. G8555 White Silver	G8555 White Silver	7/8 yard
G. R7684 Frost Silver	R7684 Frost Silver	1/2 yard
H. G8555 Scarlet Silver	G8555 Scarlet Silver	2/3 yard (includes binding)
I. G8556 Frost Silver	G8565 Ice Silver	1/4 yard

Backing = 3 yards of choice

\*\* Additional yardage may be needed for fussy cutting

### Cutting

Note: All strips are cut across the width of the fabric (perpendicular to the selvages) unless noted otherwise. All seams are 1/4".

### Fabric A

Cut one 12 1/2" strip; subcut (6) 12 1/2" x 6 1/2" rectangles (blocks). If fussy cutting, you will need to make a 12 1/2" x 6 1/2" plastic template. Center fabric design as desired. Trace and cut six rectangles.

### Fabric B

Cut one 12 1/2" strip; subcut (6) 12 1/2" x 6 1/2" rectangles (blocks).

### Fabric C

Cut one 12 1/2" strip; subcut (5) 12 1/2" x 6 1/2" rectangles (blocks) and (2) 6 1/2" x 5 3/4" rectangles (blocks).

### Fabric D

Cut one 2" strip and one 4 1/2" strip (strip set).

### Fabric E

Cut one 12 1/2" strip; subcut (5) 12 1/2" x 6 1/2" rectangles (blocks) and (2) 6 1/2" x 5 3/4" rectangles (blocks).

### Fabric F

Cut (13) 2" strips. Sew strips together end to end with diagonal seams; press. From this pieced strip, cut (7) 2" x 69 1/2" strips (vertical sashing).

### Fabric G

Cut one 3" strip (strip set).

Cut five 2" strips; subcut (28) 2" x 6 1/2" rectangles (horizontal sashing).

### **Fabric H**

Cut one 2" strip (strip set).

Cut one 2" strip; subcut (3) 2" x 6 1/2" rectangles (horizontal sashing).

Cut seven 2 1/2" strips (binding).

### **Fabric I**

Cut one 3" strip (strip set).

Cut two 2" strips; subcut (7) 2" x 6 1/2" rectangles (horizontal sashing).

### **Construction**

Quilt diagram is labeled with each fabric.

#### 1. Strip Set:


Sew together the following strips: H 2"; D 2"; G 3"; D 4 1/2" and I 3". Sew seams in alternate directions as you add each strip to keep strip set as flat as possible (not pulling into an arc). Press seams in one direction or open. Subcut strip panel into (6) 6 1/2" segments.




Cut (6) 6 1/2" segments.

2. Refer to quilt diagram to place 12 1/2" x 6 1/2" blocks, strip blocks and horizontal sashing rectangles into six vertical rows. Press seams in one direction or open within each row.

3. Sew one (F) 2" x 69 1/2" vertical sashing strip between each row and to each side of the quilt. Press toward the sashing strips.



Midnight Colorway



Storm Colorway

### **Finishing**

1. Prepare backing using two widths of fabric and horizontal seam/s. Press seams open.
2. Layer backing, batting and quilt top. Baste and quilt as desired.
3. Trim layers even with quilt top squaring corners.
4. Prepare binding using (H) 2 1/2" strips and diagonal seams. Sew binding to quilt using your preferred method.

↓ Binding (H)

Strip Block

Ⓟ Vertical sashing

G	G	G	G	G	G	G
F				P		
G				G		
H	C	B			A	C
D						
G	H	H		E	G	H
D					D	
H	E	A		G	G	B
G					D	
B	G	H		A	H	H
	D					
H	G	C		P	B	E
A	H	G		P	H	G
	G			D		
H	B	E		H	C	A
C	G	G		B	H	G
		D				D
H	A	G		G	E	G
		D				D
E		H		P		
G	G	H		G	G	H